

Your 5,500 lb workhorse that doesn't need a vacation



Increase throughput by washing a car every 45 seconds while minimizing costs with the Mark VII Soft-Line® Drive-Thru Tunnel. This vigorous workhouse doesn't need a vacation.


The SoftLine® Drive-Thru Tunnel is an efficient, robust, and easy-to-maintain machine. This machine is built to last with over 5,500 lbs of power and stability. So, if you're a car dealer, rental facility or service center looking to increase customer satisfaction at a minimal cost, you've come to the right place.

- All functions (pre-rinse, shampoo, rinse, RO) on one single frame making it compact and easier to fit in smaller spaces.
- Our brushed stainless steel frame is cut from premium material for stability, durability and corrosion resistance.
- Save money with the environmentally friendly electrical brush station, which consumes half the power of a hydraulic pump system. Each brush has its' own inverter for a more precise adjustment of brush pressure on each vehicle. Plus, no more risk of costly hydraulic leaks.
- The quiet and gentle wash pressure of the top brush is controlled with a combination of pneumatic cylinders and a counterbalance system, making the brush simple yet effective on all vehicles.

- A low-pressure pumping plant is included in the base package (pump, tank and stand as seen below). The pump creates consistent water pressure for all applications, so you can eliminate the risk of poor wash quality in the case of a water pressure drop.
- Dual axe ball bearings and shock absorbers make the wrap-around brushes easy to maintain while keeping performance and functionality in mind.
- Mark VII patented SofTecs® closed-cell foam brush material gently and quietly cleans, polishes, and protects your customer's vehicle from damage.

### Made in the USA

Manufactured in our 120,000 square foot facility in Arvada, Colorado, the home of Mark VII since 1966, you won't need to endure long delivery times or extra shipping costs.



## What you get with the purchase of a SoftLine® Drive-Thru Tunnel

- Low-pressure pumping plant for consistent water flow
- Shampoo at the front and on the brushes
- 3 brush system
- Rinse rain bar
- Motor control center
- Guide rails

### **Facility Requirements**

- Minimum interior dimension of the car wash bay/building 15'6" W x 12' H
- 32' wash bay or 42' with dryers
- 20' minimum before the bay entrance for vehicle alignment distance
- 15' minimum after the bay exit for complete clearance of wash equipment prior to exiting

### **Additional Options**

- Spot-Free Rinse
  - Removes chlorine and minerals from water that cause spotting
- AquaDri® Dryers
  - From 30HP to 65HP AquaDri® dryer packages available
- Wheel & Sill Brush
  - One pair of 15" diameter longitudinal brushes for 100% wheel coverage. Electrically driven polypropylene brushes rotate and extend towards the vehicle. Specifically designed on-board rollers and guide rails ensure safe operation ensure safe operation. An optional soap injection system can provide additional lubricity and cleaning power.
- HP Rocker Blaster and Undercarriage
- Upgrade to a 5-brush unit for additional cleaning power!

### **Technical Requirements**

- Electrical: 50Amps at 208V for the base unit (brush station and low-pressure pumping plant)
- Water: 26 GPM and 1" water line at 40psi minimum
- Air: 12.5 CFM at 80psi minimum

## Invest now to increase throughput and minimize cost.



# Car wash means WashTec/Mark VII. Worldwide.









### More than **35,000** car washes worldwide.

WashTec/Mark VII Equipment, Inc. wash over 2.75 million vehicles a day around the globe.

## Driving car wash growth in over **70** countries.

More than 1,700 employees help us shape the future of the car wash business, including over 600 factory-trained service technicians.

## Over **50** years of car wash innovation.

We set the standards in the **car wash business** – and actively push the market forward.

We are focused on providing clean, dry and shiny cars.

### www.markvii.net









Mark VII Equipment, Inc. | 5981 Tennyson Street | Arvada, Colorado 80003 USA Phone: 800.525.8248 | Fax: 303.430.0139 | markvii@markvii.net

Mark VII Equipment, Inc. Canada | 623 South Service Road, Unit 1 | Grimsby, Ontario L3M 4E8 CAN | P: 866.658.9274 | F: 289.235.7950

